



ONOGARDE XT90 The Ultimate Protection for Monocouche Render

WATER/OIL REPELLENT, ANTI-STAINING, ANTI-GRAFITTI, AND RESISTANT TO ALGAE, LICHEN OR FUNGI GROWTH

PRODUCT DESCRIPTION

MONOGARDE XT 90 offers the ultimate protection for Monocouche

MONOGARDE XT 90 can be used inside and outside. For horizontal surfaces, we recommend the use of MONOGARDE XT 90 WET LOOK SEMI GLOSS.

Designed by the Research and Development Department of Monocouche, **MONOGARDE XT 90** is an ecological revolutionary water-borne product, non toxic, solvent-free, silicone-free which is intended to protect Monocouche.

MONOGARDE XT 90 is an impregnating product, non film-making whilst the substrate also remains permeable to air and water vapour.

MONOGARDE XT 90 is completely colourless after application; it modifies neither the aspect nor the nature of the treated substrate. Moreover, it perfectly resists UV and does not yellow over time.

A substrate treated with MONOGARDE XT 90 allows a delay in the ageing process facilitates maintenance and allows protection of the monocouche against both water and oil.

CHEMICAL COMPOSITION

Water-borne acrylic copolymer-based.

ADVANTAGES AND CHARACTERISTICS

- Prevents the penetration of water and oily liquids.
- Resistant to algae or fungi growth
- Anti-Graffiti

- Prevents deterioration resulting from the freeze-thaw cycle.
- Makes cleaning easier.
- Non film-forming, allows the surface to breathe.
- Non-hazardous and non-toxic.
- Water-borne product.
- Solvent and silicone-free.
- 90% + biodegradable according to OECD standards.
- UV-resistant does not discolour the treated surface.
- Invisible once dry.
- Ready to use.
- Easy to use.
- Non-flammable.
- Reduces in effectiveness by 3% in 10 years
- 10 Year AXA insurance Guarantee

STAINS RESISTANCE TEST

	WATER	OIL
NON-TREATED	A drop of water	A drop of oil
MONOCOUCHE	leaves persistent	leaves persistent
	spots even after	spots even after
	wiping	wiping
TREATED	The drop slides.	The drop slides.
MONOCOUCHE	No persistent	No persistent
	spots.	spots.
NON TREATED	The drop does	The drop does
MONOCOUCHE	not slide.	not slide.
	Persistent stains	Persistent stains
	even after	even after
	drying.	drying.
TREATED	The drop slides.	The drop slides.
MONOCOUCHE	No persistent	No persistent
	marks.	marks.

PACKAGING

1; 5; 10; 25 litres containers

TECHNICAL DATA

Physical State at 20 °C : Liquid Appearance : Colourless Odour : None рН $: 8 \pm 0.3$ Boiling point [°C] : 100 °C Density : 1.0 Kg/l Solubility in water [vol/vol] : Fully soluble Flash Point [°C] : Not applicable

VOC : 52 g/l

APPLICATION

- Shake the container well before use.
- Ensure the surface to be treated is clean, dust-free and dry before applying the product.
- Use directly from the container; does not
- Apply using a low-pressure sprayer or paintbrush.
- The treated surface should be impregnated to saturation point in 2 applications. Time between every application: 2 hours.
- On vertical surfaces, apply from the bottom
- Drying time: 24 hours.
- For the best results: wait 5 to 7 days

COVERAGE PER LITRE

The figures below are approximate and should be used only as a general guideline:

1 Litre = $4 \text{ to } 6 \text{ m}^2$

CLEANING EQUIPMENT

Clean all tools immediately after use

STORAGE

- Conservation: 12 months in receptacle of origin, not opened in a dry place.
- Stock sheltered from frost and warmth: temperature between 5°C and 30°C.

RECOMMENDATIONS

- Remove all atmospheric pollution-related dirt from surfaces to be treated before starting the treatment.
- To obtain the best look and results on application, MONOGARDE XT 90 should be shaken before use and must only be used when the temperature of the surfaces to be treated is above 5°C.
- Do not apply during rainy or very hot weather.
- Do not dilute or mix with any other product.

HEALTH AND SAFETY

- Respiratory Protection: Under normal conditions of use where there is adequate ventilation, no special respiratory protection equipment is needed.
- Hand Protection: Wear gloves.
- Skin Protection: No special protective clothing or skin protection is required under normal conditions of use.
- Eve Protection: If there is a real risk of splashing, wear protective goggles.
- If swallowed: do not induce vomiting. Contact a doctor or a specialist.

KEEP OUT OF THE REACH OF CHILDREN

TECHNICAL ASSISTANCE

Monocouche Ltd, Ashpine House, 5 Slaney Court, Dublin Industrial Estate, Glasnevin, Dublin 11.

T: + 353 1 8997199 F: + 353 1 8827842

E:info@monocoucheltd.com W: www.monocoucheltd.com

Important: The contents of this documentation result from our experiment of the product. The company Monocouche L.T.D guarantees the quality of its products but declines expressly any responsibility in the event of non respect by the user of the recommendations and the conditions of use of the said products, in particular but not exclusively in the event of an application defect, an application by an unqualified staff, an use of products incompatibles with the products of the company Monocouche L.T.D or of bad weather conditions. For more information, please refer to the safety data sheet.